



# Limetec® Hydraulic Lime Mortars - Coverage

## Bricks

1 tonne = 1000 bricks  
25kg bag = 25 bricks  
60 bricks = 1 square metre - stretcher bond [single skin]  
80 bricks = 1 square metre - Flemish bond  
1000 bricks = 16.5 square metres  
(Quantities based on 10mm joints)

**Brick course up to 1.5m high per day are possible**

## Re-pointing

25kg bag = 2.8square metres @ 10mm joint width

**Note joint depth for re-pointing = x 2 width ie: 10mm joint = 20mm**

## Volume

1m<sup>3</sup> dry mortar = 1.78 tonnes - 1m<sup>3</sup> wet mortar = 2.14 tonnes

## Blocks

1 tonne = 460 standard 100 x 440 x 215 blocks - 41 .5m<sup>2</sup>  
1 tonne = 335 standard 140 x 440 x 215 blocks - 32m<sup>2</sup>  
1 tonne = 220 standard 215 x 440 x 215 blocks - 20m<sup>2</sup>  
100mm blocks laid flat 1 tonne = 265 blocks - 10m<sup>2</sup>  
140mm blocks laid flat: 1 tonne = 250 blocks - 15m<sup>2</sup>

## Eco Blocks

1 tonne = 835 blocks 105 x 220 x 133